

化学品安全技术说明书

填表时间 2019-12-31

打印时间 2026-02-25

MSDS标题

O-TOLYLHYDRAZINE HYDROCHLORIDE MSDS报告

产品标题

邻甲基苯肼盐酸盐; 邻甲苯肼盐酸盐; 邻甲基苯基肼盐酸盐

CAS号

635-26-7

化学品及企业标识

PRODUCT NAME

O-TOLYLHYDRAZINE HYDROCHLORIDE

NFPA

Flammability	1
Toxicity	2
Body Contact	0
Reactivity	0
Chronic	2

SCALE: Min/Nil=0 Low=1 Moderate=2 High=3 Extreme=4

PRODUCT USE

Intermediate.

SYNONYMS

C7-H10-N2.HCl, CH3C6H4NHNH2.HCl, "2-methylphenylhydrazine hydrochloride", "2-methylphenylhydrazine hydrochloride"

CANADIAN WHMIS SYMBOLS

EMERGENCY OVERVIEW

RISK

Harmful to aquatic organisms.

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern. Considered an unlikely route of entry in commercial/industrial environments.

EYE

Although the material is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

INHALED

Inhalation may produce health damage*. The material is not thought to produce respiratory irritation (as classified using animal models). Nevertheless inhalation of the material, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress. Persons with

impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

CHRONIC HEALTH EFFECTS

Principal routes of exposure are usually by skin contact/absorption and inhalation of generated dust. Hydrazine derivatives tend to be local irritants and cause convulsions, liver damage, and destruction of red blood cells. They also damage the kidneys, and cause stimulation of the central nervous system with tremors and convulsions, progressing to depression, respiratory collapse and death.

Xinya